

# AMVAC AGRICULTURAL BULLETIN

*DIBROM<sup>®</sup> 8 Emulsive*

**TO CONTROL LYGUS IN SEED  
ALFALFA**

**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF MONTANA**

**EPA REG. No. 5481-479**

**EPA SLN No. MT-990018**

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Do not apply this product through any type of irrigation system.**

### **ALFALFA (Seed Only)**

**Lygus:** Apply 1 to 1½ pints per acre on 7-day interval. Apply in 10 to 20 gallons per acre if sprayed by ground or in 3 to 5 gallons per acre if sprayed by air.

Use of this product according to this labeling is deemed a non-food use and as such is not to be used on fields producing alfalfa for livestock feed. DO NOT feed or graze alfalfa treated with DIBROM. DO NOT cut treated alfalfa for hay or for forage, or use harvested seed for sprouting. No portion of the treated field, including seed, seed screenings, hay, forage or stubble may be used for human or animal feed.

The user of this product, in addition to following all labeling precautions specific to field and vegetable crops (beans, broccoli, brussels sprouts, cabbage, cauliflower, cotton, eggplant, hops, kale, melons, peas, peppers, safflower, strawberry, summer squash and sugar beets) found on the EPA-registered label, must also adhere to the ground and aerial application precautions listed below for use on seed alfalfa under this 24(c) product labeling:

- **Ground Application:** Do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds where wind is blowing or gusting toward these areas.
- **Aerial Application:** Do not apply by air within 150 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds where wind is blowing or gusting toward these areas.

**NOTE: An agreement must be signed with the Montana Department of Agriculture prior to the purchase of DIBROM 8 Emulsive for use according to this label.**

### **Bee Exposure**

DO NOT expose bees to direct DIBROM application. DIBROM may be toxic to bees up to 12 hours after treatment. To minimize bee hazard during bloom, applications should be made at night before 11 p.m. DO NOT apply if weather conditions favor dew formation the night of application.



All applicable directions, restrictions and precautions on the EPA-registered label are to be followed.

This label must be in the possession of the User at time of pesticide application.

FIFRA §24(c) Registrant: AMVAC Chemical Corporation  
4100 E. Washington Boulevard  
Los Angeles, CA 90023 U.S.A.